| Org.No. | Surname | Name | Title |
|---------|-------------|------------|---|
| P 01 | Alexandrova | Liudmila | New 4-Modified cytidines: synthesis and evaluation as antimicrobial agents |
| P 02 | Alibayov | Babek | Application of NAD captureSeq on viruses |
| P 03 | Baszczyňski | Ondřej | Phosphonoacetate analogues of adenosine 5'-diphosphate ribose (ADPR): probes for the Transient Receptor Potential (TRP) cation channel TRPM2 |
| P 04 | Benoni | Roberto | Mapping of m1A in the viral RNA |
| P 05 | Berger | Florence | Fluorescent Modified Guanine Nucleotides to Probe Frameshift Mutations in DNA |
| P 06 | Boháčová | Soňa | Nucleotides Bearing Photocleavable Groups for DNA Photocaging |
| P 07 | Bood | Mattias | A highly emissive adenine analogue with promising properties for microscopy |
| P 08 | Brehova | Petra | Synthesis of acyclic nucleoside phosphonates with unnatural heterocyclic bases bearing aryl substituents and their inhibitory activity towards bacterial and human adenylate cyclases |
| P 09 | Brzezińska | Jolanta | Thermo-controlled Device in Orthogonal Protection Strategy for Bioconjugate Synthesis |
| P 10 | Cechova | Lucie | 5-Azopyrimidines: Synthesis and NMR study of their photochemical behavior |
| P 11 | Cesnek | Michal | Synthesis and evaluation of novel acyclic nucleoside phosphonates with unnatural nucleobases as potent inhibitors of Bordetella pertussis adenylate cyclase toxin |
| P 12 | Chmielewski | Marcin | Stereoselective Cyclisation and Diastereoisomeric Purification of 3-(Pyridin- 2-yl)-1-phenyl-(1,3,2)oxazaphospholidine Formed from a Thermolabile Protecting Group |
| P 13 | Croce | Stefano | EdU DetectPro |
| | | | |
| P 14 | Debart | Francoise | 2'-O-modified siRNA by disulfide-containing groups in a prodrug approach |
| P 15 | Drenichev | Mikhail S. | Synthesis and antiviral activity of N6-substituted adenosine derivatives |

| P 16 | Ebenryter-Olbinska | Katarzyna | Synthesis and physicochemical characterization of antisense oligonucleotides modified with boron clusters |
|------|--------------------|-----------|---|
| P 17 | Ermert | Susanne | Development of ATP-based Signaling Molecules |
| P 18 | Esposito | Anna | Synthesis and Biological Evaluation of D- and L- Cyclohexenyl Nucleosides |
| P 19 | Evéquoz | Damien | Exploring the backbone topology of DNA: the 7',5'-bicyclo-DNA system |
| P 20 | Fantoni | Nicolo | Artificial Metallo-Nucleases for Gene Editing |
| P 21 | Fignole | Klavdja | Synthesis and biophysical properties of C(6')-modified tricyclo-DNA analogs Utilization of Catalytic Hydrogen Evolution in Electrochemical Analysis of |
| P 22 | Fojta | Miroslav | Modified Nucleic Acids |
| P 23 | Frei | Sibylle | Synthesis and Properties of Novel Fluorinated Bicyclic Nucleosides and Oligonucleotides |
| P 24 | Gadakh | Bharat | Pharmacophoric importance of the adenine base in aminoacyl-sulfamoyl analogues (aaSAs) |
| P 25 | Gasser | Catherina | Syntheses of S-adenosylmethionine (SAM) analogues – Towards alternative ligands for SAM riboswitches |
| P 26 | Gołębiewska | Justyna | A new, efficient entry for the preparation of nucleoside 5'- phosphoramidates - as new substrates for the synthesis of biologically active nucleoside 5'-diphosphates |
| P 27 | Güixens-Gallardo | Pedro | Synthesis of new fluorescent nucleosides through the Knoevenagel condensation and related reactions. |
| P 28 | Hagiwara | Kenta | Reusable Enzymatic Production System for Artificial Nucleic Acids |
| P 29 | Höbartner | Claudia | Fluorescence activating RNA aptamers |
| P 30 | Hockova | Dana | Acyclic nucleoside phosphonates: Inhibition and structural investigations of Trypanosoma brucei 6-oxopurine phosphoribosyltranferases |
| P 31 | Hudeček | Oldřich | Development of capturing technique for 5'-diphosphate RNA |
| P 32 | Jankowska-Anyszka | Marzena | Synthesis and potential application of new double-functionalized dinucleotide mRNA cap analogues |

| D 22 | | | P-stereodefined homopurine chimeric [All-RP-PS]-DNA#LNA oligomers recruit Hoogsteen-paired DNA templates to form thermally stable parallel |
|------|-----------------|------------------|---|
| P 33 | Jastrzebska | Katarzyna | complexes |
| P 34 | Jemielity | Jacek | 5' mRNA Cap Analogs for Efficient Translation and Specific Labeling of mRNA in Living Cells |
| P 35 | Kaiser | Martin Maxmilian | Acyclic nucleoside phosphonates with (S)- and (R)-HPEP moiety as monomers for the synthesis of modified oligonucleotides |
| P 36 | Kaniowski | Damian | Anti-EGFR silencing activity of antisense oligonucleotides labeled with boron clusters |
| P 37 | Khandazhinskaya | Anastasia | Novel 5'-Norcarbocyclic Nucleoside Analogues As Antibacterial Agents |
| P 38 | , Kirillova | Yuliya | Synthesis of polyanionic ?-PNAs derived from L-Glu |
| P 39 | Klejch | Tomáš | Acyclic nucleoside phosphonates bearing Favipiravir as a nucleobase: Potential inhibitors of hypoxanthine-guanine phosphoribosyltransferase |
| | Riejen | 1011103 | |
| P 40 | Koćmik | Ilona | Synthesis and biological evaluation of dinucleotide analogues of 5' end of the mRNA modified at the N2 and C2' (C3') positions of 7-methylguanosine |
| P 41 | Kočišek | Jaroslav | DNA Binding Radiosensitizers and Low Energy Electrons |
| P 42 | Kropp | Heike | Unraveling the interactions between a modified primer and KlenTaq DNA polymerase - on a structural level |
| P 43 | Kryńska | Paulina | Reversible functionalization of sulfur containing guanosine derivatives |
| P 44 | Lange | Sandra | Exploring Interaction Partners of Diadenosine Triphosphate |
| P 45 | Lehner | Maike | Synthesis and Investigation of Cell-Permeable NAD+ Analogs |
| P 46 | Leitner | Kim | DNA polymerase-based systems for site-specific sensing of the presence or absence of DNA modifications |
| P 47 | Luo | Min | Expanding the Antiviral Spectrum of Fluorinated Acyclic Nucleoside Phosphonates (FPMPs): Diamyl Aspartate Amidate Prodrugs |
| P 48 | Maciaszek | Anna | P-Diastereomers of the oxathiaphospholane derivatives of N6-methyl-2'- deoxyadenosine and N2,N2-dimethyl-2'-deoxyguanosine-discriminators of Watson-Crick interactions in parallel triplexes. |

| P 49 | Mairhofer | Elisabeth | Towards the efficient synthesis of arginine-containing peptidyl-tRNA mimics |
|------|---------------|--------------|---|
| P 50 | Manicardi | Alex | Crosslinking Peptide Nucleic Acids (PNAs) for DNA targeting |
| P 51 | Matyašovský | Ján | 2-Substituted dATP Derivatives as Building Blocks for Polymerase Catalyzed Synthesis of DNA Modified in the Minor Groove |
| P 52 | Matyugina | Elena | Design and synthesis of novel fleximers |
| P 53 | Mikhailov | Sergey | Synthesis of purines from nucleosides: ribose as a blocking group |
| P 54 | Milisavljevic | Nemanja | Enzymatic synthesis of base-modified RNAs |
| P 55 | Morvan | Francois | Double Oxime Ligation for the Synthesis of Circular Oligonucleotides |
| P 56 | Muttach | Fabian | Novel AdoMet analogues as tools for enzymatic transfer of photo- crosslinkers and capturing RNA-protein interactions |
| P 57 | Nautiyal | Manesh | Biological and structural analysis of base modified nucleosides as aminoacyl adenylate analogues inhibiting tRNA synthetases |
| P 58 | Negrya | Sergey | Synthesis and biological properties of modified 2'-deoxyuridines with broad spectrum of antimicrobial activity |
| P 59 | Olszewska | Agata | Development of reactive groups for DNA-protein cross-link information |
| P 60 | Oslovsky | Vladimir | Synthesis and antiviral activity of new N6-benzyladenosine analogues with acetylene linker |
| P 61 | Panattoni | Alessandro | Competitive primer extension of base-modified dNTPs in the presence of natural dNTPs. |
| P 62 | Perlikova | Pavla | Mechanism of action of 7-(2-thienyl)-7-deazaadenosine (AB61), a potent cytostatic |
| P 63 | Piecyk | Karolina Ewa | Synthesis and potencial application of new double-functionalized dinucleotide mRNA cap analogues |
| P 64 | Ploschik | Damian | Enzymatic Synthesis and Copperfree Bioorthogonal Labeling of Cyclopropene-modified Oligonucleotides by the Use of Inverse Electron Demand Diels-Alder Cycloaddition |
| P 65 | Pozmogova | Galina | A THF-based modification induces antiparallel to parallel conformational switches in G4 DNA |

| P 66 | Promontorio | Rossella | Exploration of new chemical space through the synthesis of sp3-enriched bridged bicyclo compounds |
|------|-------------|-------------------|--|
| P 67 | Promontorio | Rossella | Crystal structure of an intramolecular telomeric DNA G-quadruplex-ligand complex |
| P 68 | Rachwalak | Marta | Synthesis of nucleoside 5'-diphosphates and their tio- and seleno analogues using H-phosphonate chemistry |
| P 69 | Rahimoff | René | A novel probe for the MS/MS-based detection and quantification of abasic site intermediates in genomic DNA |
| P 70 | Ravn | Jacob | Conjugation and linker strategies for LNA SSO delivery |
| P 71 | Räz | Michael | Torsional Constraints of DNA Substrates Impact Cas9 Cleavage |
| P 72 | Reichle | Valentin Frederik | Biosynthetic isotope labeling reveals dynamics of the epitranscriptome and novel modified nucleosides |
| P 73 | Reisacher | Ulrike | Copper-free, Bioorthogonal and Postsynthetic Labeling of Nucleic Acids |
| P 74 | Richard | Jean-Alexandre | Synthesis of dihydroxanthene near-infrared emitting fluorophores and their water-soluble analogues |
| P 75 | Romanowska | Joanna | Exploring new anti-HIV prodrugs – nucleoside 5'-diphosphates |
| P 76 | Rydzik | Anna | Crosslinking strategies for capturing nucleic acid – protein interactions |
| P 77 | Saha | Subham | Noncovalent Spin Labeling of Unmodified RNA: The Aptamer Approach |
| P 78 | Schiffers | Sarah | Quantitative LC-MS provides no evidence for m6dA or m4dC in the genomes of mouse ESCs and tissues |
| P 79 | Schmidt | Olivia Paula | A Fluorescent Base Analog Reveals High Kinetic Stabilities of T-HgII-T Base Pairs that Inhibit DNA Dynamics and Polymerase Activity |
| P 80 | Schneider | Christina | Ubiquitous non-canonical RNA nucleosides are vestiges of the early Earth |
| P 81 | Sherstyuk | Yuliya | ADP conjugates as potential PARP-1 inhibitors |
| P 82 | Shin | Dongwon | Novel N1-Substituted Pseudouridine 5'-Triphosphates for the Synthesis of Modified mRNA and its Effect on mRNA Translation in THP-1 cells |
| P 83 | Simonova | Anna | Phenothiazine as new oxidizable label for electrochemical detection of DNA |
| P 84 | Skácel | Jan | Design and Synthesis of Potential HG(X)PRT Inhibitors Based on Polysubstituted Thiophenes: Utilization of Direct Metalation of Heterocycles. |

| P 85 | Slator | Creina | Di-Copper Complexes Promote NCI-60 Chemotherapy by Intracellular Superoxide and Singlet Oxygen Facilitated DNA Damage |
|------|------------|------------|--|
| P 86 | Slavíčková | Michaela | Synthesis of hydrophobic derivatives of 2'-deoxyadenosine and DNA |
| P 87 | Soudah | Terese | PNA-peptide conjugates as splice switching oligonucleotides (SSO) of the MnK2 gene |
| P 88 | Stazzoni | Samuele | Quantification of 5-formylcytosine in specific genomic sites |
| P 89 | Šimonová | Anna | Studies of methylation of viral RNA |
| P 90 | Špaček | Petr | Acyclic nucleoside bisphosphonates with asymmetric scaffold as inhibitors of Plasmodial and human 6-oxopurine phosphoribosyltransferases |
| P 91 | Tichý | Michal | Synthesis and Biological Activities of Thieno-fused 7-Deazapurine Ribonucleosides |
| P 92 | Varizhuk | Anna | New benzothiazole-derived dyes for staining of non-canonical DNA |
| P 93 | Walczak | Sylwia | Triazole-modified dinucleotides as 5' mRNA cap mimics and reagents for mRNA modification |
| P 94 | Wanat | Przemyslaw | Nonhydrolyzable pyrene-excimer NTP-based molecular probes |
| P 95 | Watanabe | Yurika | Water-Soluble Nucleotide Analogue (WSNA) with a Flexible Backbone- Containing Guanidinium Groups |
| P 96 | Witkowska | Agnieszka | Chemical Switch in 2-Pyridinyl Thermolabile Protecting groups methodology |
| P 97 | Zatsepin | Timofey | Specificity of SNP detection with molecular beacons is improved by stem and loop separation with spacers |